


Heta Glass Industries



**ULTIMATE SOLUTION FOR
FLUID TRANSMISSION WORLD...**




BOROSILICATE GLASS TUBES

OUTSIDE DIAMETER	WALL* THICKNESS	Length*	Kgs/Pcs* Box
L - 5	0.08	1500	20 Kgs
L - 6	1	1500	18 Kgs
L - 7	1	1500	30 Kgs
L - 8	1	1500	21.2 Kgs
L - 9	1	1500	13.9 Kgs
L - 10	1	1500	13.6 Kgs
L - 12	1	1500	16.6 Kgs
L - 13	1	1500	20.2 Kgs
L - 14	1.2	1500	16.1 Kgs
L - 15	1.2	1500	17.4 Kgs
L - 16	1.2	1500	15.1 Kgs
L - 17	1.2	1500	19.91 Kgs
L - 18	1.2	1500	13.6 Kgs
L - 19	1.2	1500	22.4 Kgs
L - 20	1.2	1500	17.1 Kgs
L - 22	1.2	1500	12.8 Kgs
L - 24	1.2	1500	14.1 Kgs
L - 24.5	1	1500	12.1 Kgs
L - 25	1.2	1500	10.8 Kgs
L - 26	1.4	1500	20.26 Kgs
L - 28	1.4	1500	14.1 Kgs
L - 30	1.4	1500	10.5 Kgs
L - 32	1.4	1500	28.35 Kgs
L - 34	1.4	1500	12 Kgs
L - 36	1.4	1500	12.7 Kgs
L - 38	1.4	1500	13.5 Kgs
L - 40	1.6	1500	20.65 Kgs
L - 42	1.6	1500	23.76 Kgs
L - 44	1.6	1500	19.95 Kgs
L - 46	1.6	1500	22.38 Kgs
L - 48	1.6	1500	12.5 Kgs
L - 50	1.8	1500	14.6 Kgs
L - 50	2	1300	21 Kgs
L - 55	1.8	1500	9.1 Kgs
L - 60	2.2	1500	20.03 Kgs
L - 65	2.2	1500	17.4 Kgs
L - 68	2.2	1500	13.7 Kgs
L - 70	2.2	1500	14.1 Kgs
L - 75	2	1500	18.4 Kgs
L - 80	2.5	1500	8.1 Kgs
L - 85	2	1500	7 Kgs
L - 90	2.5	1500	9.2 Kgs
L - 100	2.5	1500	10.2 Kgs
L - 105	2.5	1500	24.22 Kgs
L - 110	3	2000	17.98 Kgs
L - 150	3	1500	18.52 Kgs



BORO SILICATE GLASS TUBES

OUTSIDE DIAMETER	WALL* THICKNESS	Length*	Kgs/Pcs* Box
M - 6	1.5	1500	19.6 Kgs
M - 7	1.5	1500	18 Kgs
M - 9	1.5	1500	20 Kgs
M - 11	1.5	1500	18.1 Kgs
M - 13	1.5	1500	19.93 Kgs
M - 15	1.8	1500	25 Kgs
M - 16	1.8	1500	21.7 Kgs
M - 17	1.8	1500	18.4 Kgs
M - 19	1.8	1500	20 Kgs
M - 24	1.8	1500	15.1 Kgs
M - 25	1.8	1500	15.8 Kgs
M - 26	2	1500	18.1 Kgs
M - 28	2	1500	19.7 Kgs
M - 30	2	1500	14.7 Kgs
M - 32	2	1500	22.7 Kgs
M - 33.5	2	1500	16.5 Kgs
M - 34	2	1500	16.9 Kgs
M - 34	2.4	1500	19.9 Kgs
M - 35.5	2	1500	17.6 Kgs
M - 36	2	1500	17.9 Kgs
M - 38	2	1500	18.9 Kgs
M - 40	2.3	1500	14.6 Kgs
M - 42	3.2	1500	19.7 Kgs
M - 45	2.5	1500	17.9 Kgs
M - 50	2.5	1500	10 Kgs
M - 55	2.5	1500	12.4 Kgs
M - 60	3.2	1500	17.2 Kgs
M - 65	3.2	1500	18.7 Kgs
M - 70	3.2	1500	17.96 Kgs
M - 80	3	1500	9.7 Kgs
M - 80	3.8	1500	12.2 Kgs
M - 90	3	1500	11 Kgs
M - 100	3	1500	18.34 Kgs
M - 120	3	1500	22.12 Kgs
M - 120	5	1500	24.16 Kgs
M - 130	3	1500	24.01 Kgs
M - 140	3	1500	4.8 Kgs
M - 150	5	1500	15.23 Kgs
M - 180	3.5	2000	8.65 Kgs
H - 10	2.25	1500	50 Kgs
H - 12	2.4	1500	27.7 Kgs
H - 14	2.5	1500	20.5 Kgs
H - 16	2.5	1500	22.7 Kgs
H - 19	3	1500	18.1 Kgs
H - 22	3	1500	16.76 Kgs
H - 25	4	1500	30.88 Kgs
H - 28	4	1500	25.2 Kgs
H - 38	4	1500	21.4 Kgs
H - 50	4	1500	17.4 Kgs
H - 70	5	1500	30.7 Kgs
H - 75	4.2	1500	12.5 Kgs
H - 80	5	1500	15.75 Kgs



BORO SILICATE GLASS TUBES

OUTSIDE DIAMETER	WALL* THICKNESS	Length*	Kgs/Pcs* Box
M - 8	1.5	1500	20 Kgs
M - 10	1.5	1500	19.3 Kgs
M - 12	1.5	1500	16.5 Kgs
M - 14	1.5	1500	19.7 Kgs
M - 18	1.8	1500	19.6 Kgs
M - 20	1.8	1500	16.9 Kgs
M - 22	1.8	1500	18.7 Kgs
M - 24	2.4	1500	22.87 Kgs
H - 33	3.5	1500	25 Pcs
H - 46	4	1500	9 Pcs
H - 59	4.5	1500	9 Pcs
H - 87	5	1500	4 Pcs
M - 115	5	1500	4 Pcs
H - 115	7	1500	4 Pcs
M - 165	5	1500	1 Pcs
H - 165	7	1500	2 Pcs
M - 230	5	1500	1 Pcs
M - 230	7	1500	1 Pcs
H - 230	9	1500	1 Pcs
M - 315	7	1500	1 Pcs
H - 315	9	1500	1 Pcs

BORO SILICATE GLASS Rods

Rod 5		1270	
Rod 6		1200	
Rod 7		1200	
Rod 8		1200	
Rod 9		1200	
Rod 10		1200	
Rod 12		1200	
Rod 16		1200	
Rod 20		1200	
Rod 25		1400	

HG

Honesty

Efficiency

Transparency

Ambitions



**Heta Glass
Industries**

Office & Factory :

336/25/A, G.I.D.C., Makarpura, Vadodara-390010

M : 098250 76022, 099789 00795, Ph. : 0265 - 2637622

E-mail : hiren@hetaglass.com • nimesh@hetaglass.com